



Novelio® Decoration

Revêtements muraux à peindre décoratifs

Stylish, paintable wallcoverings





Decorate your home in your own style
With Novelio® Decoration
glassfibre wallcoverings





Revêtements
muraux aux
motifs originaux

Wallcoverings
with original
woven patterns

Pour des pièces saines et originales

Les revêtements muraux à peindre en fibre de verre ADFORS Novelio® Decoration sont résistants à l'abrasion et offrent de nouvelles perspectives de décoration intérieure. Fabriqués à partir de matières premières naturelles et sans PVC, certains produits de la gamme contiennent également le principe actif CleanAir qui permet de purifier l'air intérieur.

- 1 Revêtements muraux aux motifs originaux
- 2 Revêtements muraux à effet bicolore purifiant l'air intérieur

For enduringly more beautiful and healthier living spaces

ADFORS Novelio® Decoration wallcoverings are paintable, and being made of glass fibre: last a long time without scuffing and scratching, and capture the imagination with their original designs. Free of any PVC, comprising entirely from natural materials, they allow the walls breathe. What's more, using CleanAir technology they keep the air in your rooms fresh and clean for longer.

- 1 Wallcoverings with original woven patterns
- 2 Two-tone wallcoverings that purify the air in the room

Un matériau durable aux multiples avantages:



Fibre de verre

La fibre de verre est un matériau durable qui ne s'altère pas avec le temps.



Résistant aux chocs

Les revêtements en fibre de verre sont durables et résisteront à l'abrasion et aux chocs.



Repeignable

Les produits de la gamme Décoration peuvent être remis en peinture.



Pour un air sain

La classe A+ garantit de très faibles émissions des composés organiques volatiles.



Fabriqué avec des matériaux sans danger pour la santé

La certification Oeko-Tex standard 100 garantit l'utilisation de substances qui ne sont dangereuses ni pour l'environnement ni pour la santé.



Résistant au feu

Excellente réaction au feu: Euroclasse B-s1,d0 sur support A1 ou A2.

They stand out on your walls:

Glass fibre

Durable and breathable material that is not affected by either water or the sun, providing the wallcoverings with unique features.

Impact resistant

They are strong enough to withstand scrapes, they are not damaged by chair backs and they are hard-wearing, to withstand scuffs and scrapes from luggage.

Repaintable

Wallcoverings can be repainted.

Breathe friendly

Class A+ stands for the lowest emissions of volatile substances, lowest risk of inhaling toxics.

Made of non-toxic material

Oeko-Tex 100 certification guarantees use of substances safe both for your health and the environment.

Fire resistant

Euroclass B-s1,d0 on substrate A1 or A2.



Petit Losange



N0062
225 g/m²

Petit Losange


Diamantine





N0530
220 g/m²

Diamantine




Croisine



N0550
220 g/m²

Croisine



Chevaine



N0560
220 g/m²

Chevrine




Grésine



N0700
225 g/m²

Grésine




Crépine



N0710
220 g/m²

Crépine



Entreline



N0720
220 g/m²

Entreline




Losine



N0730
210 g/m²

Losine




Palmier



N4860
250 g/m²

Palmier




Dièse



30×1
m

N4866
250 g/m²

Dièse



Cosmos



N4870
250 g/m²

Cosmos




Ondulation



N4875
230 g/m²

Ondulation



Bulle



N4895
230 g/m²

Bulle



2

Revêtements
muraux à effet
bicolore purifiant
l'air intérieur

Two-tone
wallcoverings
that purify the air
in the room



Un revêtement mural novateur:

Purifie l'air intérieur

Ces revêtements muraux possèdent la technologie CleanAir qui purifie l'air intérieur (réduction de la concentration en formaldéhyde jusqu'à 70%) et ce pendant plus de 10 ans.

Bicolore

Son enduction sablée permet d'obtenir un effet bicolore en une seule couche de peinture.



Fibre de verre

La fibre de verre est un matériau durable qui ne s'altère pas avec le temps.



Résistant aux chocs

Les revêtements en fibre de verre sont durables et résisteront à l'abrasion et aux chocs.



Peignable et arrachable à sec

Ces produits sont arrachables à sec.



Pour un air sain

La classe A+ garantit de très faibles émissions des composés organiques volatiles.

Fabriqué avec des matériaux sans danger pour la santé



La certification Oeko-Tex standard 100 garantit l'utilisation de substances qui ne sont dangereuses ni pour l'environnement ni pour la santé.

Résistant au feu

Excellente réaction au feu: Euroclasse B-s1,d0 sur support A1 ou A2.



They make for pleasant ambience:

Effective against contaminants

Wallcoverings that benefit from CleanAir technology permanently remove up to 70% of formaldehyde vapours. They keep cleaning the air in your rooms for over 10 years.

Two-tone

The wallcoverings have a structure which when painted with a single colour shows up in two shades, making the patterns stand out better.

Glass fibre

Durable and breathable material that is not affected by either water or the sun, providing the wallcoverings with unique features.

Impact resistant

They are strong enough to withstand scrapes, they are not damaged by chair backs and they are hard-wearing, to withstand scuffs and scrapes from luggage.

Repaintable

Wallcoverings can be easily stripped without waste.

Breathe friendly


Class A+ stands for the lowest emissions of volatile substances, lowest risk of inhaling toxics.

Made of non-toxic material

Oeko-Tex 100 certification guarantees use of substances safe both for your health and the environment.

Fire resistant

Euroclass B-s1,d0 on substrate A1 or A2.




Iris



GV9004SF
200 g/m²

Iris



Wood



GV9006SF
390 g/m²

Wood




Brushy



GV9007SF
240 g/m²

Brushy



Matrix



T9101SF
300 g/m²

Matrix




Natte



T9102SF
270 g/m²

Natte



Dedal



T9103SF
320 g/m²

Dedal



Crocodile



T9104SF
320 g/m²

Crocodile

Wallcoverings with original weave patterns

Wallcoverings with original weave patterns

Motif Pattern	Référence Reference	Poids Weight	Répetition Repeat	Rouleau Roll	Emballage Packaging
Petit Losange	N0062	225 g/m ²	4,4 cm	30 × 1 m	Individual box Boîte individuelle
Diamantine	N0530	220 g/m ²	1 cm	30 × 1 m	Individual box Boîte individuelle
Croisine	N0550	220 g/m ²	2,4 cm	30 × 1 m	Individual box Boîte individuelle
Chevrine	N0560	220 g/m ²	0,8 cm	30 × 1 m	Individual box Boîte individuelle
Grésine	N0700	225 g/m ²	6,4 cm	30 × 1 m	Individual box Boîte individuelle
Crépine	N0710	220 g/m ²	–	30 × 1 m	Individual box Boîte individuelle
Entreligne	N0720	220 g/m ²	4,8 cm	30 × 1 m	Individual box Boîte individuelle
Losine	N0730	210 g/m ²	6,5 cm	30 × 1 m	Individual box Boîte individuelle
Palmier	N4860	250 g/m ²	33 cm	30 × 1 m	Individual box Boîte individuelle
Dièse	N4866	250 g/m ²	–	30 × 1 m	Individual box Boîte individuelle
Cosmos	N4870	250 g/m ²	–	30 × 1 m	Individual box Boîte individuelle
Ondulation	N4875	230 g/m ²	90 cm	30 × 1 m	Individual box Boîte individuelle
Bulle	N4895	230 g/m ²	–	30 × 1 m	Individual box Boîte individuelle

Two-tone wallcoverings that purify the air in the room

Two-tone wallcoverings that purify the air in the room

Motif Pattern	Référence Reference	Poids Weight	Répetition Repeat	Rouleau Roll	Emballage Packaging
Iris	GV9004SF	200 g/m ²	64 cm	10,5 × 1 m	Individual box Boîte individuelle
Wood	GV9006SF	390 g/m ²	–	10,5 × 1 m	Individual box Boîte individuelle
Brushy	GV9007SF	240 g/m ²	–	10,5 × 1 m	Individual box Boîte individuelle
Matrix	T9101SF	300 g/m ²	–	10,5 × 1 m	Individual box Boîte individuelle
Natte	T9102SF	270 g/m ²	–	10,5 × 1 m	Individual box Boîte individuelle
Dedal	T9103SF	320 g/m ²	12,8 cm	10,5 × 1 m	Individual box Boîte individuelle
Crocodile	T9104SF	320 g/m ²	21,3 cm	10,5 × 1 m	Individual box Boîte individuelle



GV9006SF



GV9007SF



N0062



N0550



N0560



N0700



N0710



N0720




N0730



N4860



N4866



N4870



N4875



N4895



T9101SF



T9103SF



T9104SF

Instructions

The wall must be clean (no dust, dirt or grease), dry, even and primed.
Temperature should not be below 8 °C.

1. Cut to length according to room height (+10 cm).
2. Apply the dispersion adhesive evenly on the wall using a roller (~200 g/m²).
3. Place the wallcovering panel on the wall vertically and smooth it with a soft plastic roller.
4. Place the adjacent panel edge to edge (respect vertical pattern repeat). Clean excess

of glue at the joint with a clean tissue. Repeat steps 1, 2, and 3 with other panels until you have finished the room.


5. Cut off any surplus with a knife.

6a. Dual tone products (sand coated) - Apply a 1st layer of acrylic paint when the product is dry (~1 day).

- 6b. Apply a 1st layer of acrylic paint when the product is dry (~1 day).
Apply a 2nd layer of acrylic paint when the product is dry (~1 day).

The glass fibre fabric is carefully checked before leaving our factory but should also be checked again just before hanging.

Any claim should be accompanied with roll label and a sample featuring the defect.



Saint-Gobain ADFORS – innovation, renforcement et durabilité

ADFORS Novelio® Decoration est fabriqué par Saint-Gobain ADFORS, leader mondial dans le développement et la production de produits de renfort en fibre de verre pour matériaux de construction. Nous offrons des solutions uniques et adaptées à chaque besoin grâce à notre technologie innovante de fibrage et aux multiples modes de tissage disponibles. Nous apportons une attention toute particulière au respect de l'environnement.

Saint-Gobain ADFORS – innovative, strong and sustainable

ADFORS Novelio® Decoration is produced by Saint-Gobain ADFORS. We are a global leader in the development and production of reinforcement fabrics for the construction industry. Our innovative glass fibre weaving technology enables us to manufacture unique products and tailor-made solutions. We always care about the environment and your health.



Authorized partner: Decor Masters

LLP

Phone : +91 8595371483

+91 8851094099

Address- 97/1, Adhchini, Sri
Aurobindo Marg, near Hauz Khas
metro station, New Delhi-110017



Euroclasse B - s1 - d0



Euroclass B - s1 - d0



www.adfors.com

